


Installation Instructions

Part # 5666101 Molle Roll Bar Padding Kit 2 Door JK

Please read instructions entirely before installing this product. It is recommended to install this cover when temperatures are above 70 degrees



<u>Step 1:</u> If equipped with, remove the hard top or lower your soft top down completely. If you have a soft top, also remove the door surrounds. These will be re-installed later.



Step 3: Remove the existing roll bar covers by unzipping them, then unbolting the seat belts where they attach to the sport bar (Fig A) and bow assembly pivot bracket. The front corner will be secured by a plastic retainer that holds the plastic roll bar cover, lower plastic cover by pulling straight down. If you choose to do so you can cut the existing cover off around these parts. It will be helpful to tape the OE roll bar foam padding to the roll bar to prevent them from moving during install. (Fig B)




Installation Instructions

Part # 5666101 Molle Roll Bar Padding Kit 2 Door JK

WWW.SMITTYBILT.COM

<u>Step 4:</u> Wrap the side pieces around the sport bar and zip up. The top pivot bracket slides through the slots in the cover and the large rectangular opening goes towards the front around the seat belt mechanism. (Fig C, D)





<u>Step 5:</u> Wrap the cover around the rear sport bar, making sure the holes in pad are located around the rear seat belt attachment points (Fig E) and the sound bar holes are located in the correct location. (Fig F) Now proceed to zip up and fasten Velcro (Fig G, H)


It may help to squeeze cover together to make it easier. These are designed for a snug fit. It will help to compress the roll bar foam.




Installation Instructions

Part # 5666101 Molle Roll Bar Padding Kit 2 Door JK









<u>Step 6:</u> Wrap the cover over the horizontal bars and zip up. The slots in the padding line up with the holes on the roll bar where the OE door surrounds attach. Secure the front sections to the rear By fastening the Velcro together. (Fig I, J, K, L)

<u>Step 7:</u> Make any final adjustments in cover and the re-install the sound bar. Make sure to plug in sound bar into OE wiring. Now proceed to re-install seat belts, it is recommended to use loctite when doing so.



Installation Instructions

Part # 5666101 Molle Roll Bar Padding Kit 2 Door JK









Step 8: Installation is now complete. (Fig M, N, O)

Notes

- > Make sure all hardware is completely secured when done
- > When installing its best to squeeze the cover together and zip up slowly
- > Do not force the zippers, this may cause damage to padding kit.
- > If any OE foam is still exposed you can carefully trim it off with a sharp blade
- Molle bags can be attached anywhere Molle webbing is located on cover.
- ➤ If OE foam core pieces are broken tape them around sport bar to prevent movement while installing padding kit.



Installation Instructions

Part # 5666101 Molle Roll Bar Padding Kit 2 Door JK









Installation Instructions

Part # 5666101 Molle Roll Bar Padding Kit 2 Door JK

Limited Warranties

Smittybilt's products are covered under the following limited warranties only. Note that the duration of the limited warranty differs according to the material and finish of the product purchased. Subject to the duration and conditions of the limited warranty stated below, Smittybilt warrants to the original retail purchaser that its products are free from defects in material and workmanship. All other warranties and representations express or implied, are hereby disclaimed, including fitness for merchantability and buyer's intended use or purpose. All parts are sold "AS IS" except for the limited warranties granted herein. Buyer assumes all risks as to the selection, suitability and performance of all goods and products selected. This limited warranty does not cover damage or impairment in any part due to misuse, improper installation, accident or contact with on-road or off-road hazards, product modification, improper or inadequate cleaning and/or maintenance. Smittybilt is not responsible for items damaged during shipping. This warranty is not transferable from the original buyer. For the original Buyer to be eligible for the limited warranty coverage, the Buyer must provide proof of purchase. Smittybilt strongly recommends returning the warranty registration card. Customer's remedy hereunder shall be limited only to repair or replacement (at Smittybilt's option) of any defective part(s) returned to Smittybilt at customer's expense. The determination of whether or not a returned part is defective or subject to coverage under the limited warranties stated herein shall be made at Smittybilt's sole discretion.

To assure product quality, Smittybilt reserves the right to change product design, material, specification and finishes without prior notice to customers. This limited warranty gives you specific legal rights and you may also have other rights, which may vary from state to state. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply as to you. Also, some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. Smittybilt reserves the right to discontinue product lines and substitute products, or provide other remedies than those listed in this limited warranty for those discontinued products.

Warning

Rollover and other types of vehicle accidents may result in serious injury or death to you, your passengers and others sharing the road. Smittybilt accessories are decorative and are not intended to reduce or avoid injury or damage in the event of an accident. The weight and location of Smittybilt accessories may affect your vehicles' handling, stability and performance, creating an increased risk of accident or rollover. Before installing any accessory, check state laws and assure that the accessory will not obscure any lights or interfere with proper operation on your vehicle's safety equipment. Consult your owner's manual and the Smittybilt instructions, or additional safety information. Smittybilt products, nor the warnings contained herein, are not a substitute for your safe driving. Don't drink and drive, always use seat belts and don't drive faster than conditions permit.