

Introduction

Thank you for choosing Smittybilt accessories for your Ford Bronco® needs! If you would like to view our full range of available vehicle and overlanding accessories, please visit us at *www.smittybilt.com*







Waypoint[™] & Basecamp[™] Fridge

Bronco[®] Cab Cover

Ford[®] and Bronco[®] are registered trademarks of Ford Motor Company.

Important Notes Before Starting

IMPORTANT NOTE

Carefully read through this entire instruction manual thoroughly before attempting to install this part.

IMPORTANT NOTE

Cover material will stretch upon installation and once fabric is warmed up. Allow cover to lay out in the sun for

30 minutes prior to install. We recommend install in temperatures above 75°F.

WARNING

Park vehicle on flat surface, chock all four wheels and engage parking brake prior to installation.

Serious injury can occur when working on vehicles alone. When possible, work with another person to reduce risk of injury from strain or other dangers that can occur when working alone.




Image: Contents Image: Contents

Installation Instructions: 2 Door Bronco Full Cover



Step 1:

Locate the front of the cover and drape it over the vehicle.



Step 2:

Starting from the front, be sure to align the side mirrors into the mirror pockets and put the antenna through the built-in grommet hole in the cover.



Installation Instructions: 2 Door Bronco Full Cover



Step 3:

Work your way towards the back until the cover is fully installed on the vehicle.



Step 4:

If installing the included cable lock. Pass the small end through the cover, then through the loop on the opposite end. Then across undercarriage of vehicle and secure by passing small end (tail) through grommet and secure the small end loop onto the tail with pad lock.



Step 5: Installation is now complete.



Notes and Disclaimers

Product cleaning and maintenance instructions

Stainless Steel Finish – Aluminum polish may be used to polish small scratches and scuffs on the finish. Mild soap, window or glass cleaner may be used to clean the finish. Dual state powder coat finish – Mild soap, window or glass cleaner may be used to clean the finish. In order to protect the finish, you may wax your product on a regular basis with pure carnauba automotive wax. Do not use any types of soap, polish or was that contains abrasive that could damage the finish. Textured coated finishes should be cleaned with a mild soap on a damp sponge. Do not apply polish or was that requires to be removed by means of buffing. This type of wax is commonly used at car wash facilities. Chrome Finish – Mild soap, window or glass cleaner may be used to clean the finish. In order to protect the finish, you should wax your product on a regular basis with pure carnauba automotive wax. Do not use any types of soap, polish or was that contains abrasive that could damage the finish – Mild soap, window or glass cleaner may be used to clean the finish. In order to protect the finish, you should wax your product on a regular basis with pure carnauba automotive wax. Do not use any types of soap, polish or was that contains abrasive that could damage the finish.

SMITTYBILT ADVANTAGE WARRANTY

1-Year Limited Warranty

Smittybilt Automotive Products, LLC (SAP) warrants to the original purchaser that (a) the physical components (e.g., stitching, fabric, etc.) of any SAP **Bronco® Full Cover (2 Door)** will be free of defects in material and workmanship for a period of 1-year from the date of purchase of the Full cover. This warranty applies only to the original purchaser of the Full cover and is non-transferable. To obtain any warranty service, you must provide SAP with a proof of purchase and date of purchase that is acceptable to SAP, such as a copy of your purchase receipt.

This warranty does not cover labor of part replacement of the Full cover. SAP will, at its sole discretion, provide replacement part (s) for a defective Full cover or component, provided this is done within the warranty period. To request assistance under warranty, one must call or email using the phone number or email at the bottom of this page. This warranty does not apply (1) wearable components; or (2) if the Full cover has been damaged, including, but not limited to: abuse, misuse, collision, modification, misapplication, improper installation, or improper service. This warranty is void if any SAP serial number has been removed or defaced; or if Full cover is used for any commercial, industrial, or rental applications. This warranty only applies to Full Covers bought, sold, and used within the Untied States or Canada unless otherwise specifically agreed in writing by SAP.

THE WARRANTY SET FOURTH ABOVE IS THE ONLY WARRANTY. THERE ARE NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANT ABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ANY IMPLIED WARRANTY WHICH BY LAW MAY NOT BE EXCLUDED IS LIMITED TO A DURA-TION OF ONE (1) YEAR FROM THE DATE OF ORIGINAL RETAIL PURCHASE OF THE PRODUCT. No SAP dealer, agent, or employee is authorized to make any modification, extension or addition to this warranty. SAP SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, LOST PROF-ITS, DOWN TIME OR LOSS OF USE) UNDER ANY LEGAL THEORY, EVEN IF SAP WAS ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Some states do not allow the exclusion of implied warranties or the exclusion or limitation of liability for incidental or consequential damages, or limitations on how long an implied warranty lasts, so the above limitation or exclusion may not apply to you. This Warranty gives you specific legal rights. You may also have other rights that vary from state to state. SAP reserves the right to change product design without notice. In situations in which SAP has changed a product design, SAP shall have no obligation to upgrade or otherwise modify previously manufactured products. For warranty inquires contact SAP at:

Smittybilt Automotive Products, LLC

Customer Service Department

Call 1-800-776-0767 or Email info@smittybilt.com



